# PS

# THE PREVENTIVE MAINTENANCE MONTHLY

# INDEX

## ISSUES 206-211

(JAN-JUN 1970)

THE PREVENTIVE MAINTENANCE MONTHLY

# INDEX NO. 21 to ISSUES 206-211 (Jan-Jun 1970)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

# INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 206 to 211 INCLUSIVE


| | PS | Page |
|---|---|---|
| **A** | | |
| AIR COMPRESSOR | | |
| Motor pool (shop) hems | 207 | 58 |
| AIR CONDITIONER | | |
| General maintenance | 211 | 20 |
| AIRCRAFT, ARMY, GENERAL | | |
| Airframe--protect vital parts during steam cleaning | 209 | 27 |
| Control cables--pull PM | 206 | 30 |
| Grounding aircraft--use copper wire & clamps | 206 | 34 |
| Inspections--PE numbering | 206 | 32 |
| Oil analysis--follow TB 55-6650-300-15 | 208 | 65 |
| Publications---up-date via DA Form 12-31 | 208 | 56 |
| Records | | |
| EIR--complete when a problem persists | 210 | 81 |
| ESC--use one DA Form 2404 for aircraft | 210 | 45 |
| Radio | | |
| APU, use for 28 volt check | 211 | 58 |
| Pressurize AN/ARC-51X & 51BX sets | 209 | 18 |
| Seat belts--get retarder spring | 206 | 81 |
| Fixed Wing | | |
| U-6A(Beaver) Fuel primer line--look for chafing | 207 | 44 |
| U-8 (Seminole) Carburetor--soak diaphragms | 207 | 37 |
| Rotary Wing | | |
| AH-1G (HueyCobra) | | |
| Airframe--keep it clean | 209 | 20 |
| Controls--use metalset on T/R pedal rest | 211 | 62 |
| Engine--PM cleaning | 208 | 52 |
| Environmental control system | | |
| Use TM 55-1520-221-20, Ch 7 | 211 | 63 |
| Hydraulic element--get high-temp type | 207 | 37 |
| Maintenance--PM tips | 210 | 46 |
| Maintenance--PM tips | 211 | 63 |
| Tail rotor crosshead--aline bearings | 208 | 55 |

| | PS | Page |
|---|---|---|
| AIRCRAFT, ARMY, GENERAL, Rotary Wing (Con't) | | |
| CH-47 (Chinook) | | |
| Wheels--deflate pressure on tire change | 209 | 19 |
| TM's--get the right | 207 | 65 |
| CH-47C (Chinook) | | |
| Wiring harness--protect from chafing | 207 | 44 |
| OH-6A (Cayuse) | | |
| Controls--keep cyclic neutral on landing | 209 | 19 |
| Fuel--activate shutoff valve | 211 | 64 |
| OH-13 (Sioux) | | |
| Pitch change horns-chamfer mod-E, G, H, S, &Tseries | 206 | 33 |
| PM for CMMI | 207 | 46 |
| OH-23G (Raven) | | |
| Engine--use fine wire spark plugs | 206 | 34 |
| OH-58A (Kiowa) | | |
| Pubs--maintenance | 206 | 32 |
| UH-1 (Iroquois) | | |
| Engine--fuel control safety | 206 | 35 |
| Engine installation--make vibration check | 207 | 45 |
| Engine oil cooler screen--change grommets | 206 | 35 |
| Engine--PM cleaning | 208 | 52 |
| Maintenance--PM tips | 210 | 46 |
| Maintenance--prepare for winter | 206 | 26 |
| Landing skids--use authorized hardware | 207 | 45 |
| Oil--use proper type | 206 | 32 |
| PM--field fixes | 207 | 38 |
| Radio, AN/ARC-54---use spacer to protect antenna | 209 | 18 |
| Tail rotor crosshead--aline bearings | 208 | 55 |
| UH-1C/M (Iroquois) | | |
| Model change--see Ch 3, to TM 55-1520-220-20 | 209 | 65 |
| UH-1D/H (Iroquois) | | |
| Drive shaft--alinement check | 207 | 43 |
| Droop compensator bearing--no play | 208 | 56 |
| Mike switch--get floor type | 208 | 65 |
| AMMUNITION | | |
| Clean ammo needed | 209 | 65 |
| Loading ammo with primer installed | 208 | 65 |
| Mortor, 81MM, use pipe wrench with fuze wrench M18 | 207 | 15 |
| WP grenades are bursting type | 211 | 27 |
| ANTENNAS | | |
| AS-1729/AT-912, Front-panel connector | 209 | 16 |
| Radio whip--use silicone grease | 211 | 57 |
| Tips--dulling the | 208 | 58 |
| ARTILLERY | | |
| M101/M101A1, 105-MM Towed howtizer---BYOI | 210 | 2 |

PS Page

# B

BAG, WATER STERILIZING
Faucet---FSN . . . . . 207 63
BATTERY
Control center--burn spots on plan indicator tube . . . . . 207 20
Distilled water . . . . . 210 55
Dry cell commo batteries--keep them sealed . . . . . 207 53
Nickel Cadmium, BB-622B/U---charging procedure . . . . 210 55
Nickel-Cadmium---don't use pliers . . . . . 208 63
Nickel-Cadmium---new pubs . . . . . 211 65
BATTERY, LEAD-ACID, Operator-maintenance . . . . . 207 29

# C

CALIBRATION (see publications)
CANTEEN, CAP
M17A1---protective mask special issue . . . . . 207 64
CARRIER, CARGO, M548
Cargo hoist beam . . . . . 206 14
Introduction . . . . . 206 2
Track adjustment . . . . . 206 14
CARRIER, COMMAND AND RECONNAISSANCE, M114
Gas particulate filter units . . . . . 211 54
CARRIER, PERSONNEL, M113, Air cleaner shell . . . . . 211 54
CARRIER, PERSONNEL, M113 Family, Transmission oil . . . 206 36
CARRIER, PERSONNEL, M113 & M113A1
Weight class . . . . . 208 16
CBR
Flame thrower dated hose . . . . . 211 26
GPFU'S for M114's . . . . . 211 54
M13 Decon & reimpregnation--skin pad short . . . . . 208 51
COMMUNICATION EQUIPMENT
Decal, warning,--available for vehicle-mtd radio sets . . . 210 81
Ground straps--be sure required, are in place . . . . . 210 56
Loose pieces--send to support . . . . . 208 62
COMPUTER, FADAC, M18
Gun Direction--shipping container needed . . . . . 211 65
Power cable---disconnecting . . . . . 207 65
Tapes--computer . . . . . 211 19
CONNECTORS, ELECTRICAL--dust cap FSN's . . . . . 209 19
COOLING SYSTEM--thermostat check . . . . . 209 65

# E

EQUIPMENT RECORDS
COMSEC equipment--distribution . . . . . 206 81
DA Form 2407--EIR exhibit . . . . . 211 28
DA Form 2408-5 . . . . . 211 1
Identify by serial number . . . . . 208 50
Marking for shipment . . . . . 208 37
Reportable items . . . . . 207 65
Retrograde record rules . . . . . 211 29
TM 38-750----1969 edition . . . . . 209 4
Towed howitzer identification . . . . . 208 22
ENGINEER EQUIPMENT
BIIL cutback . . . . . 208 65

# F

FADAC (See Computer, FADAC, M18)
FILTER UNIT, GAS PARTICULATE
CV's--authorization & installation SOP . . . . . 208 18
M3 Heater, ON-OFF switch . . . . . 207 65
FLAME THROWER
M2A1-7-----check date on hose . . . . . 211 26
FORMS, DA, DD, SF, ETC
DA Form 17--how to order changes to pubs . . . . . 209 65
DA Form 1352--aircraft status . . . . . 210 81
DA Form 1352--aircraft status . . . . . 211 59
DA Form 2765--correct fill . . . . . 211 28
DA Form 2765--UND SOP/status cards . . . . . 206 56
DA Form 3318--"Bal Brought Fwd" . . . . . 209 63
FUSES
Voltage rating--upward variance OK . . . . . 208 60

# G

GENERATOR
Class/number only at overhaul . . . . . 207 65
General PM . . . . . 211 4
Ground rod kit . . . . . 211 16
Revetment construction . . . . . 211 12
10KW--new mil design--TM series for 400-HZ . . . . . 209 63

| | PS | Page |
|---|---|---|
| GENERATOR SETS | | |
| Hol-Gar WK-1 (DED)---parts list change | 210 | 80 |
| GRADER | | |
| Wabco, 440, Drive port holes | 211 | 17 |
| GREASE GUN ADAPTER (see Truck, 1/4-ton, M151) | 211 | 51 |
| GRENADE LAUNCHER, M79 | | |
| BYOI | 210 | 32 |
| Plastic Stock--brown #30045 for touchup | 207 | 28 |
| Pyrotechnic cartridges--use authorized rounds only | 208 | 23 |
| GUN, MACHINE, 50-CAL | | |
| M2--compatability chart | 206 | 20 |
| GUN, MACHINE, 50-CAL, M85 | | |
| Link guide for left or right hand feed | 206 | 24 |
| Loading cautions | 209 | 51 |
| GUN, MACHINE, 7.62-MM, M60 | | |
| Leaf spring position | 211 | 25 |
| GUN, SELF-PROPELLED, 175-MM, M107 | | |
| Autofrettage tube--M113E1 | 208 | 23 |
| Tube wear--M113E1 | 210 | 81 |


# H


| | | |
|---|---|---|
| HANDSET | | |
| H-189--shorted elements | 210 | 53 |
| HAWK, GENERAL | | |
| AN/MSW-9, PCP--antenna pedestal-may seep F-50 oil | 207 | 20 |
| AN/TPQ-21, Simulator Station--burn spots on tube | 207 | 20 |
| HAWK, LAUNCHER | | |
| Loader-Transporter | | |
| Suspension system suffers saltwater problems | 207 | 21 |
| Missile | | |
| Igniter connector--may have missing wire | 207 | 19 |
| Radar AN/MPQ-34---magnetron operation tips | 207 | 18 |
| HEADSET-MICROPHONE | | |
| MK-1039/G--mike plug wedge kit | 210 | 54 |
| HEATER, IMMERSION | | |
| Flue partition---may have cracks | 207 | 64 |
| HELMENT, APH-5, APH-5A, & AFH-1 | | |
| Nape Pads--not to be used as chin pads | 206 | 33 |
| HELMENT, CREWMAN | | |
| CVC---don't sit on | 207 | 52 |
| HOWITZER, SELF-PROPELLED, 105MM, M108 | | |
| Accelerator pedal bending | 211 | 54 |
| Master warning light | 209 | 52 |

| | PS | Page |
|---|---|---|
| HOWITZER, SELF-PROPELLED, 155-MM, M109 | | |
| Accelerator pedal bending | 211 | 54 |
| Elevating cylinder kits | 206 | 18 |
| Master warning light | 209 | 52 |
| HOWITZER, TOWED | | |
| M101 or M101A1---BYOI | 210 | 2 |
| M101A1--serial number | 208 | 22 |
| M123A1--breechblock driver | 206 | 25 |
| Rammer--be sure you have proper | 208 | 20 |
| HOWITZER, TOWED, 105-MM, M102 | | |
| Correction factor | 211 | 26 |
| M37 recoil mechanism--oils for tropical operations | 206 | 19 |
| HOWITZER, TOWED, 155-MM, M114A1 | | |
| Breech mechanism reaming prevents fouling | 209 | 54 |
| M114/M114A1--breechblock driver | 206 | 25 |
| HYDRAULIC OILS | | |
| Symbols---meaning of | 210 | 26 |

## I

| | | |
|---|---|---|
| INSPECTION | | |
| CMMI--AR 750-8, Ch 3 | 209 | 65 |
| Towed Howitzer, 105MM, M101 | 210 | 2 |

## K

| | | |
|---|---|---|
| KIT | | |
| M13 Decon & Reimpregnating---short wiping pad | 208 | 51 |

## L

| | | |
|---|---|---|
| LANTERN, GASOLINE | | |
| Repair parts | 211 | 18 |
| LAUNCHER, GRENADE, 40-MM | | |
| M79--cocking lever jams | 211 | 24 |
| LAUNDRY UNITS | | |
| Trailer Mounted---use additional locknut | 209 | 61 |
| LAND CLEARING | | |
| Rome plows | 207 | 54 |
| LINEMAN's BELT | | |
| LC-23---includes safety strap | 208 | 59 |

| | PS | Page |
|---|---|---|
| LISTER BAG (see Bag, Water Sterilizing) | | |
| LOGISTICS OFFENSIVE | 209 | 2 |
| LUBRICATION | | |
| More often in mud | 211 | 38 |
| Small Arms | | |
| Guide | 208 | 29 |
| PL-S 2oz cans, No more | 209 | 65 |


# M


| | | |
|---|---|---|
| MAINTENANCE | | |
| Do it right the first time | 207 | 1 |
| New policy--"Logistics Offensive" | 209 | 2 |
| Personal supervision--comtinuity | 210 | 37 |
| Readiness is always--thru PM | 206 | 1 |
| Responsibility | 210 | 1 |
| Tactical wheeled vehicles--"S" service | 211 | 50 |
| MARKINGS | | |
| Equipment shipped | 208 | 37 |
| MASK, PROTECTIVE | | |
| Canteen cap--special | 207 | 64 |
| CV crewman's mask--M14 & M25 series | 208 | 18 |
| M17A1--canteen drinking cap | 207 | 64 |
| Salvage heap--not for masks | 209 | 64 |
| MODIFICATION WORK ORDERS | | |
| Rules on application | 211 | 1 |
| MORTAR, 81-MM | | |
| Be your own inspector on 81mm & 4.2-in | 207 | 2 |
| Pipe wrench is used with M18 fuze wrench | 207 | 15 |
| Sightunit, M53, Order by component | 206 | 24 |
| MOUNTAIN PITON SNAPLINK | | |
| Pin---check for loose | 209 | 62 |
| MULTIMETER | | |
| AN/URM-98---bolometer goes with set | 206 | 50 |
| MULTIPLEXER SET | | |
| CV-1548/G--screwdriver use | 206 | 50 |
| PCM panel--installation | 206 | 48 |
| TD-352/U--tighten with caution | 209 | 16 |


# P


| | | |
|---|---|---|
| PISTOL, 45-CAL | | |
| Check recoil springs & plugs | 207 | 17 |

| | PS | Page |
|---|---|---|
| PLL | | |
| Parts clerk (MOS 76) | 208 | 1 |
| Parts--stow'em like potato chips | 210 | 76 |
| PUBLICATIONS | | |
| Calibration--TB 750-236 | 209 | 65 |
| Calibration--TB 750-236 | 210 | 58 |
| ESC TM's and ratings | 209 | 29 |
| Loading artillery ammo in CV's---FM 17-12 | 208 | 65 |
| LIN's--see SB 700-20 for latest | 209 | 64 |
| Parts TM SMR codes | 209 | 62 |
| Pinpoint---write-in for all forms | 208 | 44 |
| Radioactive test sample--TB 3-6665-201-12 | 209 | 59 |
| AR 310-1, C6--how to order pubs from other services | 208 | 51 |
| AR 310-31---MTOE SOP | 208 | 51 |
| AR 345-215---S/S by AR 340-2 | 208 | 64 |
| AR 725-8--authorization on pulled components | 208 | 51 |
| AR 735-35--UND/status card SOP | 206 | 56 |
| DA PAM 350-55-1 and -2 (unit SOP) | 207 | 65 |
| TM 38-750---EIR--complete etc | 210 | 81 |
| TM 38-750---TAMMS '69 revision | 209 | 4 |


# R


| | | |
|---|---|---|
| RADIOACTIVE TEST SAMPLES | | |
| MX-1083B/PDR-27---leak test | 209 | 59 |
| RADAR SET | | |
| AN/MPQ-4A--how to transport it | 211 | 56 |
| AN/MPQ-4A--General PM | 211 | 55 |
| AN/MPQ 34--magnetron operating tips | 207 | 18 |
| AN/PPS 4A--replacement fuse | 206 | 51 |
| AN/PPS 5--general PM | 209 | 12 |
| RADIO SETS | | |
| Inter-area comm--CX-4245/G cable assy handling | 208 | 61 |
| Power surge | 210 | 53 |
| AN/ARC 45--BIIL crystals | 207 | 52 |
| AN/ARC 51X & 51BX--pressurize | 209 | 18 |
| AN/ARC 54--general PM | 209 | 17 |
| AN/ARC 54--potentiometer adjustment | 211 | 56 |
| AN/ARC 54--spacer--use to protect antenna | 209 | 18 |
| AN/GRA 39--general PM | 210 | 57 |
| AN/PRC 6--alinement | 211 | 58 |
| AN/PRC 10--dial lamp caps | 208 | 60 |
| AN/PRC 25--switch boot for AM-2060 | 206 | 51 |
| AN/PRR 9 & AN/PRT 9--connect lanyard correctly | 208 | 63 |

| | PS | Page |
|---|---|---|
| RADIO SETS (Con't) | | |
| AN/TRC 24--S4 switch, tubes & relay | 210 | 52 |
| AN/VRC 12 series--V6201 tube replacement | 208 | 60 |
| AN/VRC 12--PM tips | 209 | 15 |
| RT 246 & RT 524---keep side panels on | 207 | 53 |
| 28 volt check--use APU in aircraft | 211 | 58 |
| RADIO TELETYPEWRITER | | |
| AN/GRC 142---DC voltage fix | 210 | 57 |
| RECEIVER-TRANSMITTER | | |
| RT-246 & RT-524--cap for antenna control connector | 210 | 54 |
| RT-246 & RT-524---FSN for blower vent-hole cover | 206 | 49 |
| RECORDS | | |
| Generator, not altered in field | 207 | 65 |
| REFRIGATION | | |
| Redmanson RGP-9000 line safety | 209 | 61 |
| RIFLE, M14, 7.62-MM | | |
| Bracket mounting kit--construction equipment | 208 | 65 |
| Firing pin--chipped tip check | 207 | 16 |
| Front sight--set screw corrects windage | 207 | 17 |
| Rear sight--tension check by thumb | 207 | 16 |
| RIFLE, M16A1, 5.56-MM | | |
| Bracket mounting kit--construction equipment | 208 | 65 |
| Exfoliation on aluminum receiver | 209 | 49 |
| Overheated barrel | 211 | 27 |
| Pamphlet 750-30 on M16A1 | 210 | 81 |
| Use LSA only | 211 | 65 |
| XM15 blank firing attachment--C3 to TM has info | 208 | 64 |


# S


| | | |
|---|---|---|
| SEARCHLIGHT SET | | |
| AN/TVS-3, Clogging by bugs | 208 | 59 |
| SIGHT UNIT | | |
| M53--order replacement by components | 206 | 24 |
| SMALL ARMS | | |
| Lubrication story | 208 | 29 |
| SPARK PLUG | | |
| Cleaning, testing, principles | 209 | 38 |
| STARLIGHT SCOPE | | |
| AN/PVS-2, Keep it dry | 211 | 25 |
| STENCILS, DECALS, ID PLATES | | |
| Found in Fed Cats & SC | 211 | 65 |
| STRAP, GROUND | | |
| Required straps--be sure they are in place | 210 | 56 |

| | PS | Page |
|---|---|---|
| SUPPLY | | |
| Authorization for set/kit components | 208 | 51 |
| Authorizing document on 2765 | 210 | 81 |
| DA Form 2765--UND SOP/Status cards | 206 | 56 |
| DA Form 2765--correct fill | 211 | 28 |
| DA Form 3318--"bal brought fwd" | 209 | 63 |
| DA Pam 350-55-1 & -2 (unit SOP) | 207 | 65 |
| PLL --man's assignment | 208 | 1 |
| PLL--order 3 times to put on PLL | 206 | 80 |
| Property Book--add 2-letter equip category codes to LIN | 208 | 65 |
| Property book layout | 210 | 60 |
| Protective masks--turn in to support | 209 | 64 |
| Record COFF date | 208 | 64 |
| SB 700-20---has last word on LIN's | 209 | 64 |
| Storing PLL & setting up supply room or truck | 210 | 68 |


# T


| | | |
|---|---|---|
| TANKS, GENERAL | | |
| Engine--keeping cool | 210 | 19 |
| Telescope dangerous | 210 | 20 |
| Track parts FSN's | 211 | 53 |
| TANK, M48A2, Depression stop screw | 210 | 18 |
| TANK, M48A3 | | |
| Depression stop screw | 210 | 18 |
| Filter head leaks | 208 | 17 |
| Starter switch--new | 206 | 81 |
| Wheel nut torque | 208 | 19 |
| TANK, M60 & M60A1 | | |
| Bore evacuator--replacing | 210 | 20 |
| Filter head leaks | 208 | 17 |
| Filter unit heater--ON-OFF switch | 207 | 65 |
| OHT oil FSN's | 206 | 81 |
| Range Finder, M17C | 208 | 17 |
| Starter switch--new | 206 | 81 |
| Tachometer drive adapter | 210 | 21 |
| Wheel nut torque | 208 | 19 |
| TANK & PUMP UNIT | | |
| 50-GPM, Crank case---fix for draining | 209 | 60 |
| TELEPHONE SETS | | |
| TA-312 handset repair | 211 | 57 |
| TELEPHONE TERMINAL | | |
| AN/TCC-7---cables & cords | 210 | 56 |

| | PS | Page |
|---|---|---|
| TELETYPEWRITER SETS | | |
| TT-98( )/FG, TT-76( )/GGC--install dust covers | 208 | 61 |
| TENT | | |
| Maintenance tent comes by components | 210 | 80 |
| TEST SETS | | |
| AN/PSM-13, Battery test set---general PM | 206 | 45 |
| TOOLS | | |
| Authorization for deleted components | 208 | 51 |
| BIIL being cut | 208 | 65 |
| Compressors--shop type | 207 | 58 |
| Tirestep--fabricate | 211 | 51 |
| Sets-Kits | | |
| Small arms repairman | 208 | 24 |
| Signal | | |
| TK-101/G--eletronic equipment presentation | 206 | 52 |
| TRACTOR, CRAWLER, CAT., D7 | | |
| Cover exhaust pipe top | 211 | 19 |
| Land clearing | 207 | 54 |
| Track adjustment lubricant | 209 | 62 |
| TRACTOR, WHEELED, 290M | | |
| Breakdowns--causes of | 209 | 56 |
| TRAILER, CARGO, 3/4-TON | | |
| Handbrake lever --- FSN | 210 | 30 |
| TRAILER, WATER TANK, M149 | | |
| $H_2O$ on ice | 206 | 15 |
| TRUCK, GENERAL | | |
| Distributor cap--cracked | 211 | 50 |
| Exhaust systems--cause of cracks | 209 | 43 |
| Fire extinguisher setup | 207 | 26 |
| Motor stables | 208 | 2 |
| Multifuel return lines | 207 | 27 |
| New 5-ton jackstands | 209 | 37 |
| Tail light O-ring | 211 | 52 |
| TRUCK, 1/4-TON, G838-SERIES | | |
| Break-in speed | 208 | 16 |
| M151A2--special driver training | 211 | 65 |
| TRUCK, 1/4-TON, M151 | | |
| Brake fluid--fouled | 209 | 47 |
| Don't pivot--fill | 209 | 48 |
| Grease gun adapter | 211 | 51 |
| TRUCK, 1/2-TON | | |
| Mechanical mule | 211 | 42 |
| TRUCK, 1 1/4-TON | | |
| Battery box--rattle | 210 | 31 |
| Oil filler cap--chain 'er down | 211 | 52 |

| | PS | Page |
|---|---|---|
| TRUCK, 1 1/4-TON, G890 SERIES | | |
| Bumper support | 210 | 27 |
| Lube leaks | 210 | 28 |
| M725 Ambulance--short circuit | 210 | 30 |
| Radiator tank leak | 211 | 65 |
| Winch drive parts | 210 | 27 |
| TRUCK, 2 1/2-TON, GENERAL | | |
| Transmissiom & Steering housing--need breather valve | 211 | 52 |
| Lubing spring seat on trunnion | 209 | 45 |
| Vent hose--story on hose | 211 | 49 |
| TRUCK, 2 1/2-TON, G742-SERIES | | |
| Brake fluid smell | 210 | 31 |
| Clutch shaft spring & ball | 211 | 37 |
| Frame crack | 209 | 46 |
| Front spring U-bolt nuts | 209 | 46 |
| Transfer cover cracked | 206 | 81 |
| Multifuel | | |
| Front winch drive shaft | 209 | 44 |
| Fuel filters frozen | 207 | 25 |
| Oil check | 208 | 64 |
| Publication--DA Pam 750-11 | 210 | 36 |
| Starter switch--new | 208 | 16 |
| TRUCK, 5-TON, G744-SERIES | | |
| Brake fluid smell | 210 | 31 |
| Clutch shaft spring & ball | 211 | 37 |
| Exhaust systems--cause of cracks | 209 | 43 |
| Horn--check contact brush | 209 | 45 |
| Lubing trunnion spring seat | 209 | 45 |
| Power steering operation cautions | 206 | 16 |
| Steering linkage--parts to check | 209 | 44 |
| Transmission & steering housing--need breather valve | 211 | 52 |
| Truck Tractor--new fifth wheel | 208 | 64 |
| Diesel | | |
| Air intake hose clamps | 211 | 49 |
| Starter switch--new | 208 | 16 |
| Vertical exhaust system--clamp | 208 | 16 |
| Multifuel | | |
| Fuel filter frozen | 207 | 25 |
| Oil check | 208 | 64 |
| Publication--DA Pam 750-11 | 210 | 36 |
| Starter switch--new | 208 | 16 |
| TRUCK, 10-TON, G792 SERIES | | |
| Power steering operation cautions | 206 | 16 |

| | PS | Page |
|---|---|---|

## V

VEHICLE, GENERAL
- Hoses--warning . . . . . 210 22
- PCV valve . . . . . 207 22

VEHICLE, RECONNAISSANCE, ASSAULT, M551
- Not a tank . . . . . 207 28

VEHICLES, TACTICAL GENERAL
- Alternator, 60-amp, Junction block cover . . . . . 209 48
- Maximum safe fuel acceptance rate . . . . . 206 81
- "S" service . . . . . 211 50

VEHICLE, RECONNAISSANCE, ASSAULT, (Sheridan), M551
- M119 & M149 Telescope--aline lever . . . . . 210 18
- Speedometer/odometer cable . . . . . 210 17
- Transmission bolts . . . . . 210 16

VEHICLE, RECOVERY, M578
- M107 thru M110 series--dipstick full mark . . . . . 211 53

## W

WATER DRUMS
- 55-gal---replaces spigots . . . . . 211 17

WESTMORELAND, GEN, Article . . . . . 209 1

WHEELED VEHICLE, GENERAL
- Warning decal available for vehicle-mtd radio sets . . . . . 210 81

WINCH
- Front mounted--gear case lube level . . . . . 211 41




U. S. GOVERNMENT PRINTING OFFICE : 1970 O - 403-660


HIT THE BULLSEYE
WITH YOUR EIR
SN
COMPONENT OR PART NAME
SERIAL NO.
RESULTS
EIR MEANS
EQUIPMENT IMPROVEMENT
RECOMMENDATION.
IT COULD ALSO STAND FOR
EXACT
IDENTIFICATION
RECORDED
ON YOUR
DA FORM 2407